# Safety Data Sheet

ResNsand

Date of Preparation: 3/9/06

MSDS No. 16000.6

Revision: 4/7/15

Date of Preparation: 3/9/06		Revision: 4/7/
Section 1 - Chemical H	Product and Company	Identification
Product: ResNsand Chemical Family: Poly Allyl DiGlycol Carbonate Recommended use: various Restrictions on use: none known Manufacturer: Marshall Additive Technologies Division of the R. J. Marshall Company 26776 W. 12 Mile Road Southfield, MI 48034-7807 Phone: (248) 353-4100, Fax: (248) 948	Date Re Prepare	<b>ncy Phone:</b> (800) 424-9300 <b>vised:</b> 4/7/15 <b>r:</b> Stephanie Nichols
Section 2 -	Hazards Identificatio	n
Classification of the chemical in accordance with par Signal Word: None Symbol: None Hazard Statements: None Precautionary Statements: None Hazards not otherwise classified: Combustible dust.		H 2 F 0 R 0 PPE <sup>†</sup>
Section 3 - Composi	tion / Information on l	Ingredients
Ingredient Name Poly Allyl DiGlycol Carbonate Anti-static agent	CAS Number 25656-90- 002764-13-	
<ul> <li>Description of necessary measures, subdivided accor Inhalation: If overcome by high dust concentrations, re Eye Contact: Flush eyes thoroughly for 15 minutes tak irritation. If discomfort continues, continue to wash w Skin Contact: Wash skin thoroughly with soap and wat Ingestion: If swallowed, give large amounts of water, in Most important symptoms and effects, acute and del Inhalation: Potential respiratory tract irritation. Eye Contact: Exposure to eyes from solids or dusts ma Skin Contact: Potential of slight irritation to the skin. Ingestion: May be harmful if swallowed.</li> </ul>	emove to a ventilated area. Call p cing care to rinse under eyelids. I ith water. If irritation persists, co ter. Consult a physician if irritati nduce vomiting. Consult a physic <b>ayed:</b> ay cause irritation or scratch the s	obysician if irritation persists. Do not scrub. Abrasion may cause onsult a physician. ton persists. cian.
Section 5 -	Fire-Fighting Measure	es
<ul> <li>Suitable Extinguishing Media: Foam, Water spray, car Unsuitable Extinguishing Media: None.</li> <li>Specific hazards arising from the chemical: Unusual Fire or Explosion Hazards: Dust can form expressure if exposed to heat (fire).</li> <li>Hazardous Combustion Products: Smoke, propane, car Sensitivity to Static Discharge: Avoid generating dust present of an ignition source is a potential dust explosion Fire-Fighting Equipment: Because fire may produce to apparatus (SCBA) with a full face-piece operated in pr clothing.</li> </ul>	xplosive mixture with air. Sealed arbon dioxide. t. Fine dust dispersed in air, in su on hazard. oxic thermal decomposition prod	l (closed) containers can build up ifficient concentrations, and in the lucts, wear a self-contained breathing

#### ResNsand

### **Section 6 - Accidental Release Measures**

**Personal precautions, protective equipment, and emergency procedures:** Wear safety glasses with side shields, gloves, and dust mask.

**Methods and materials for containment and cleaning up:** Sweep up and place in appropriate disposal container. Avoid generating dust or accumulating dust. Avoid dust dispersal in the air. Spilled material can be a slipping hazard. Eliminate flames, sparks, excessive temperatures, and oxidizing agents. Non-sparking tools should be used.

## **Section 7 - Handling and Storage**

**Precautions for safe handling:** Avoid contact with eyes and skin. Use in a well-ventilated area. Avoid generation and breathing of dust. Minimize dust generation and accumulation.

**Storage Requirements:** Store in closed, properly labeled containers in a cool, ventilated area. Keep away from heat, open flames, and oxidizing agents. Do not transfer to unmarked containers.

## Section 8 - Exposure Controls / Personal Protection

#### **Engineering Controls:**

**Ventilation:** Mechanical ventilation and local exhaust. Use explosion proof electrical equipment for very high dust levels. Ensure ventilation and dust-handling systems prevent the escape of dust into work areas and that there is no leakage from the equipment.

Administrative Controls:

**Respiratory Protection:** Recommend a 3M #8710 Dust and Mist respirator.

**Protective Clothing/Equipment:** Use rubber gloves. Wash thoroughly before eating, smoking, applying cosmetics, etc. Safety glasses with side shield, goggles and/or a face shield. If necessary, protective rubber apron, shoes, or boots, or TYVEC protective suit with hood.

Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

	OSHA PEL		ACGIH TLV	
Ingredient	TWA	STEL	TWA	STEL
Poly Allyl DiGlycol Carbonate	none estab.	none estab.	none estab.	none estab.
Anti-static agent	none estab.	none estab.	none estab.	none estab.

Section 9 - Physical and Chemical Pr	roperties

Appearance: granular clear solid Odor: odorless Odor Threshold: n/e pH: 5.19 Freezing/Melting Point: not applicable Boiling Point: not applicable Flash Point: not applicable Flash Point Method: not applicable Evaporation Rate: not applicable Flammability Classification: Non-flammable. Upper/lower flammability or explosive limits: not applicable

Vapor Pressure: not applicable Vapor Density (Air=1): not applicable Relative Density: 1.31Water Solubility: Insoluble Other Solubilities: not determined Partition coefficient: n-octanol/water; not determined Auto-ignition Temperature: Not determined. Decomposition Temperature: Not determined Viscosity: not applicable

## **Section 10 - Stability and Reactivity**

Reactivity: Not reactive under normal conditions.

**Chemical Stability:** This product is stable at room temperature in closed containers under normal storage and handling conditions.

Possibility of Hazardous Reactions: None under normal processing. Hazardous polymerization does not occur.

Conditions to Avoid: Excessive heat, ignition sources.

Incompatible materials: Oxidizing agents.

Hazardous Decomposition Products: Smoke, propane, carbon dioxide.

#### ResNsand

## **Section 11- Toxicological Information**

#### Information on the likely routes of exposure:

**Inhalation:** Inhalation of high concentrations of this inert nuisance particulate can result in mild irritation of the respiratory tract.

Eye: May cause irritation or scratch the surface of the eye through mechanical abrasion.

Skin: May cause slight irritation.

**Ingestion:** May be harmful if swallowed.

#### Symptoms related to the physical, chemical, and toxicological characteristics:

Eye: Exposure to eyes from solids or dusts may cause irritation or scratch the surface of the eye.

**Skin:** Potential of slight irritation to skin.

**Ingestion:** May be harmful if swallowed.

**Inhalation:** Potential respiratory tract irritation if inhaled.

**Delayed and immediate effects as well as chronic effects from short- and long-term exposure:** Irritation of eyes, skin. **Numerical measures of toxicity:** Not determined.

Carcinogenicity: NTP, IARC, or OSHA does not consider this product carcinogenic.

### **Section 12 - Ecological Information**

Ecotoxicity: This product is not classified as environmentally hazardous.

Persistence and degradability: Not determined.

Bioaccumulative potential: Not determined.

Mobility in soil: Not determined.

### **Section 13 - Disposal Considerations**

**Disposal:** Dispose as solid waste and contaminated packaging in sanitary landfill or incinerate according to Federal, State, and local regulations.

## **Section 14 - Transport Information**

**DOT Transportation Data (49 CFR 172.101):** This product is not classified as dangerous under the transport regulations for road, rail, sea, or air transport.

NMF classification: Class 60-Item 156200

UN Number: None

UN proper shipping name: None

Transport hazard classes: DOT-not regulated; IATA-not regulated; IMDG-not regulated

Packing group: None

Environmental hazard: No

Transport in bulk according to Annex II or MARPOL 73/78 and the IBC Code: not regulated

Special precautions: None

## **Section 15 - Regulatory Information**

#### **EPA Regulations:**

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33) RCRA Hazardous Waste Classification: Not classified CERCLA Hazardous Substance (40 CFR 302.4) Not listed SARA Toxic Chemical (40 CFR 372.65): Not listed SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed **OSHA Regulations:** Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed **TSCA** This substance is on the Chemical Substances Inventory of the Toxic Substance Control Act (TSCA Inventory [USA]). Please note that this product is not subject to any legal reporting requirements under these acts. **International Regulations:** Australia: Present on AICS. Canada: Present on Non-Domestic Substances List (NDSL). China: Not present. Europe: Not present on EINECS. Japan: Present on ENCS. 6-1159 Korea: Present on ECL. KE-10464 New Zealand: Not present. Philippines: Not present on PICCS.

### ResNsand

## Section 16 - Other Information

# **Prepared By:** Stephanie Nichols **Revision Notes:** 4/7/15

Product Grades Available from the R. J. Marshall Company (this list may be incomplete):

Ultra 4	Ultra 8	Ultra 12	Ultra 16	Ultra 20
Ultra 40	Ultra 60	Ultra 100	Ultra 200	Ultra 300
Ultra 1200	Ultra -30	Ultra16RM	Ultra20RM	Ultra -3/8
Ultra35AA				

**Disclaimer:** Information contained herein is presented in good faith and is based on data believed to be accurate. However no warranty is expressed or implied regarding this information or the results obtained from the use of this Safety Data Sheet, whether it originates with The R. J. Marshall Company or others. This Safety Data Sheet relates only to the specific material designated herein. It does not relate to use with other material or processes. This information is supplied with the condition that the user will make appropriate determination as to its suitability for their purpose prior to using it.