

Material Safety Data Sheet

Densified Chips

MSDS No. 9648.17

Date of Preparation: 12/10/96

Revision: 10/15/10

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: Densified Chips

Synonyms: Filled Polyester

General Use: Used as a component of granite effect fillers to accent and highlight color.

Manufacturer: The R. J. Marshall Company

26776 W. 12 Mile Road

Southfield, MI 48034-7807

Phone: (248) 353-4100, Fax: (248) 948-6460

Emergency Phone: (800) 424-9300

Date Revised: 10/15/10

Preparer: Stephanie Nichols

Section 2 - Hazards Identification

Primary Entry Routes: Inhalation, Eye, and Ingestion.

Acute Effects

Inhalation: Inhalation of high concentrations of this inert nuisance particulate can result in mild irritation of the respiratory tract.

Eye: May cause irritation through mechanical abrasion. (Mild Irritant Subcategory 2B)

Skin: May cause irritation through mechanical abrasion. (Mild Skin Irritation: Category 3)

Ingestion: Unlikely.

Carcinogenicity: IARC, OSHA, and NTP do not list this product or any of its components as a carcinogen.

Medical Conditions Aggravated by Long-Term Exposure: n/a

Chronic Effects: n/a

Signal Word: Irritant

HMIS

H 1

F 0

R 0

PPE† E

†Sec. 8

Section 3 - Composition/Information on Ingredients

Ingredient Name

CAS Number

Alumina Trihydrate

21645-51-2

Filled Polyester

Trace Impurities:

Ingredient	OSHA PEL		ACGIH TLV	
	TWA	STEL	TWA	STEL
Alumina Trihydrate	none estab.	none estab.	none estab.	none estab.
Filled Polyester	none estab.	none estab.	none estab.	none estab.

Section 4 - First Aid Measures

Inhalation: If overcome by high dust concentrations, remove to a ventilated area. Seek medical attention for any symptoms that may develop.

Eye Contact: Flush eyes thoroughly for 15 minutes taking care to rinse under eyelids. Do not scrub. Abrasion may cause irritation. If discomfort continues, continue to wash with water. If irritation persists, consult a physician.

Skin Contact: Wash skin thoroughly with soap and water for at least 15 minutes. Consult a physician if irritation persists.

Ingestion: Consult a physician.

After first aid, get appropriate in-plant, paramedic, or community medical support.

Note to Physicians: n/a

Special Precautions/Procedures: n/a

Section 5 - Fire-Fighting Measures

Flash Point: n/a

Flash Point Method: n/a

Burning Rate: Not determined.

Auto-ignition Temperature: Not determined.

Flammability Classification: n/a

Extinguishing Media: Water spray, carbon dioxide, or other dry chemical.

Unusual Fire or Explosion Hazards: None known.

Hazardous Combustion Products: May include carbon monoxide, carbon dioxide, smoke, oxides of nitrogen, and styrene.

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face-piece operated in pressure-demand or positive-pressure mode.

Section 6 - Accidental Release Measures

Spill /Leak Procedures: Collect solids. Recycle if possible.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

Section 7 - Handling and Storage

Handling Precautions: Avoid generating dust during handling.

Storage Requirements: Keep material dry.

Section 8 - Exposure Controls / Personal Protection

Engineering Controls:

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Administrative Controls:

Protective Clothing/Equipment: Wear protective eyeglasses.

Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Section 9 - Physical and Chemical Properties

Physical State: Dyed amorphous particle.

Appearance and Odor: colored odorless granules

Odor Threshold: n/e

Vapor Pressure: n/e

Vapor Density (Air=1): n/a

Formula Weight: n/a

Density: n/e

Specific Gravity (H₂O=1, at 4 °C): 1.7

pH: n/e

Water Solubility: Insoluble

Other Solubilities: n/a

Boiling Point: n/a

Freezing/Melting Point: n/a

Viscosity: n/a

Refractive Index: n/a

Surface Tension: n/a

% Volatile: n/a

Evaporation Rate: n/a

Section 10 - Stability and Reactivity

Stability: This product is stable at room temperature in closed containers under normal storage and handling conditions.

Polymerization: Hazardous polymerization cannot occur.

Chemical Incompatibilities: Strong acids or alkaline may destroy surface appearance.

Conditions to Avoid: None known.

Hazardous Decomposition Products: Thermal oxidative decomposition may produce carbon monoxide, carbon dioxide, smoke, oxides of nitrogen, and styrene.

Section 11- Toxicological Information

Toxicity Data:*

Eye Effects: Nuisance dust. May cause irritation through mechanical abrasion. Flush with water for at least 15 minutes. Consult physician if irritation is persistent.

Skin Effects: Nuisance dust. May cause irritation through mechanical abrasion. Wash skin thoroughly with soap and water.

Acute Inhalation Effects: Overexposure to dust may cause irritation to the respiratory tract. Should this occur, remove affected individual to fresh air. If symptoms persist, consult a physician.

Acute Oral Effects: None known.

Chronic Effects: None known.

Carcinogenicity: Neither this product nor any of its components are considered carcinogenic by OSHA, IARC, NTP, or ACGIH.

Section 12 - Ecological Information

No information available.

Section 13 - Disposal Considerations

Disposal: Recycle or landfill if possible. This substance is inert and does not require special disposal methods. Follow applicable Federal, state, and local regulations.

Section 14 - Transport Information

DOT Transportation Data (49 CFR 172.101): This product is not classified as dangerous under the transport regulations for road, rail, sea, or air transport.

Section 15 - Regulatory Information

EPA Regulations:

- RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)
- RCRA Hazardous Waste Classification (40 CFR 261.??): Not classified
- CERCLA Hazardous Substance (40 CFR 302.4) Not listed
- SARA Toxic Chemical (40 CFR 372.65): Not listed
- SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed

OSHA Regulations:

- Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

TSCA

This substance or all of its components are on the Chemical Substances Inventory of the Toxic Substance Control Act (TSCA Inventory [USA]). Please note that this product is not subject to any legal reporting requirements under these acts.

INTERNATIONAL REGULATIONS

Canadian Domestic Substances List: Components of this product are listed on the Canadian DSL.

European Community: Components of this product are listed on Ecoinvent, the European Core Inventory (EC) market

Section 16 - Other Information

Prepared By: Stephanie Nichols

Revision Notes: 3/17/10

Product Grades Available from the R. J. Marshall Company (this list may be incomplete):

DC10	DC40	DC91	DC120	DC150	HGS22	HGS360	DC792	SC005	SC610
DC11	DC45	DC95	DC121	DC160	HGS36	DC700	DC795	SC010	SC611
DC14	DC46	DC100	DC125	DC162	HGS37	DC720	DC798	SC11	SC612
DC15	DC50	DC101	DC130	DC172	HGS72	DC730	DC800	SC018	SC614
DC16	DC51	DC102	DC131	DC173	HGS112	DC731	DC810	SC20	SC615
DC20	DC60	DC103	DC132	HG31	HGS113	DC733	DC820	SC025	
DC21	DC65	DC104	DC133	HG81	HGS122	DC734	BR Blends	SC027	
DC30	DC61	DC105	DC134	HGA315	HGS152	DC740	DX Blends	SC037	
DC32	DC70	DC109	DC135	HGA338	HGS320	DC750	DXT Blends	SC561	
DC33	DC80	DC110	DC136	HGA363	HGS321	DC755	HG Blends	SC563	
DC34	DC82	DC114	DC140	HGS17	HGS340	DC785	WD Fines	SC565	
DC38	DC90	DC115	DC145	HGS18	HGS350	DC790		SC569	

Disclaimer: Information contained herein is presented in good faith and is based on data believed to be accurate. However no warranty is expressed or implied regarding this information or the results obtained from the use of this Material Safety Data Sheet, whether it originates with The R. J. Marshall Company or others. This Material Safety Data Sheet relates only to the specific material designated herein. It does not relate to use with other material or processes. This information is supplied with the condition that the user will make appropriate determination as to its suitability for their purpose prior to using it.