Safety Data Sheet

CALCINED ALUMINA

Revision: 1/23/19

SDS No. 9601.12

Date of Preparation: 7/16/96

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: Calcined Alumina

Synonyms: Aluminum Oxide, Alumina

General Use: Manufacture of abrasives, refractory material, aluminum production, ceramic materials.

Manufacturer: The R. J. Marshall Company 26776 W. 12 Mile Road Southfield, MI 48034-7807 Phone: (248) 353-4100, Fax: (248) 948-6460 Emergency Phone: (800) 424-9300 Date Revised: 1/27/15 Prepared By: Stephanie Nichols

Section 2 - Hazards Identification

Classification of the substance or mixture:

These products are not classified as dangerous according to Regulation (EC) No. 1272/2008.

These products are not classified according to EU Directive 67/548/EEC or 1999/45/EC.

These products are not listed by NTP, IARC, or regulated by OSHA as a carcinogen.

These products are not classified as dangerous substances or mixtures according to the Global Harmonized System.

Label Elements:

Signal Word: Not applicable

Pictogram: Not applicable

Hazard Statements: None

Precautionary Statements: P261: Avoid breathing dust.

P280: Wear eye protection.

P285: In case of inadequate ventilation wear respiratory protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do-continue rinsing.

P302 + P352: IF ON SKIN: Wash with soap and water.

Section 3 - Composition / Information on Ingredients

Ingredient Name	CAS Number	Weight %	
Alumina Oxide	1344-28-1	>98	

Section 4 - First Aid Measures

Inhalation: If overcome by high dust concentrations, remove to a ventilated area. Seek medical attention for any symptoms that may develop.

Eye Contact: Flush eyes thoroughly taking care to rinse under eyelids. Do not scrub. Abrasion may cause irritation. If discomfort continues, continue to wash with water. If irritation persists, consult a physician.

Skin Contact: Wash skin thoroughly with soap and water. Consult a physician if irritation persists.

Ingestion: Rinse mouth with plenty of water. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed:

Potential acute health effects:

Eye contact: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

Inhalation: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat, and lungs.

Skin contact: No known significant effects or critical hazards.

Ingestion: No known significant effects or critical hazards.

Overexposure signs/symptoms:

Eye contact: Adverse symptoms may include irritation and redness.

Inhalation: Adverse symptoms may include respiratory tract irritation and coughing.

Skin contact: No specific data.

Ingestion: No specific data.

Indication of any immediate medical attention and special treatment needed: No specific treatment. Treat symptomatically.

Calcined Alumina

Section 5 - Fire-Fighting Measures

Suitable extinguishing media: Use extinguishing agent suitable for surrounding fire. **Unsuitable extinguishing media:** None known.

Specific hazards arising from the chemical: None

Advice for fire-fighters: Fire-fighters should wear appropriate protective equipment.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures: Avoid dust formation. In case of exposure to high levels of airborne dust, wear a personal respirator in compliance with and approved by appropriate governmental regulations and authorities.

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.

Methods and materials for containment and cleaning up: Recover product and place into appropriate containers for disposal or recycling. Preferable method is by using a vacuum device, if available, otherwise by broom and shovel.

Section 7 - Handling and Storage

Precautions for safe handling: Avoid generating dust during handling. Use appropriate PPE. Avoid breathing dust. Workers should wash hands and face before eating, drinking, and smoking.

Conditions for safe storage, including any incompatibilities: Keep material dry and in closed containers when possible. Material is incompatible with ethylene oxide and chlorine trifluoride.

Section 8 - Exposure Controls / Personal Protection

Control Parameters:

	OSHA PEL		ACGIH TLV	
Ingredient	TWA	STEL	TWA	STEL
Alumina Oxide	15 mg/m ³ total dust	none estab.	none estab.	none estab.
	5 mg/m ³ respirable fraction			

Derived No Effect Levels (DNEL): 3 mg/m³ respirable 8 hour TWA 6.2 mg/kg bw/day, Short term Oral

15.6 mg/m³, Short term Inhalation

Predicted No Effect Concentration (PNEC): No information available.

Engineering Controls:

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Administrative Controls:

Respiratory Protection: Avoid inhaling the dust. In case of concentrations above the exposure limits, suitable certified respirator must be worn.

Protective Clothing/Equipment: Wear safety glasses with full side shields. Wear suitable gloves. No special protective clothing is required.

Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Calcined Alumina

Section 9 - Physical and Chemical Properties

Physical State: powder **Appearance and Odor:** white odorless powder **Odor Threshold:** not applicable

pH: 8-10
Freezing/Melting Point: 3722°F (2050°C)
Boiling Point: 5396°F (2980°C)
Flash Point: None
Evaporation Rate: Not applicable.
Flammability: Not flammable.
Upper/lower flammability or explosive limits: Not available.

Vapor Pressure: not applicable Vapor Density (Air=1): not applicable Relative Density: 3.97Water Solubility: Insoluble Partition coefficient: n-octanol/water; not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Not applicable Viscosity: not applicable

Section 10 - Stability and Reactivity

Reactivity: None under normal processing.

Chemical Stability: This product is stable at room temperature in closed containers under normal storage conditions. **Possibility of hazardous reactions:** None under normal processing.

Conditions to avoid: None known.

Incompatible materials: Ethylene oxide and chlorine trifluoride.

Hazardous decomposition: None known.

Section 11- Toxicological Information

Information on the likely routes of exposure: Not available

Potential acute health effects:

Eye contact: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

Inhalation: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat, and lungs.

Skin contact: No known significant effects or critical hazards.

Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical, and toxicological characteristics:

Eye contact: Adverse symptoms may include irritation and redness. **Inhalation:** Adverse symptoms may include respiratory tract irritation and coughing. **Skin contact:** No specific data. **Ingestion:** No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure: Not available.

Acute Toxicity: No known significant effects or critical hazards.

Oral: LD50 >5000 mg/kg bw (rat)

Dermal: conclusive but not sufficient for classification

Inhalation: LC50 = 7.6 mg/l (rat)

Irritation/Corrosion:

Skin/Eyes/Respiratory: No significant irritation expected other than possible mechanical irritation.

Sensitization:

Skin/Repsiratory: Non-irritating.

Mutagenicity: No mutagenic effect.

Carcinogenicity: No carcinogenic effect.

Reproductive toxicity: Not considered to be toxic to the reproductive system.

Teratogenicity: No teratogenic effect.

Specific Target organ toxicity (single exposure): not available

Specific Target organ toxicity (repeated exposure): not available

Aspiration Hazard: not available

Calcined Alumina

Section 12 - Ecological Information

Ecotoxicity: Aluminum oxide and its various chemical forms, such as alpha, beta, gamma, alumina hydrate, and aluminum hydroxide do not present any hazard for the environment.

Type Value		Species	Exposure	Test Substance	
Fish Toxicity	$LC_{50} > 100 \text{ mg/l}$	Salmo trutta	96 hours	Aluminum oxide	
Invertebrate Toxicity	$EC_{50} > 100 mg/l$	Daphnia magna	48 hours	Aluminum oxide	
Algae Toxicity	$EC_{50} > 100 \text{ mg/l}$	Selenastrum	72 hours	Aluminum oxide	
		capricornutum			

Persistance/biodegradability: not applicable for inorganic substances

Bioaccumulation: No data available.

Mobility: Not mobile under normal environmental conditions. May be leached from the ground at low pH (<5.5) or high pH (>8.5).

Results of PBT and vPvB assessment: Does not meet the criteria for PBT or vPvB.

Other adverse effects: None known.

Section 13 - Disposal Considerations

Disposal: Recycle or landfill if possible. This substance is inert and does not require special disposal methods. Follow applicable Federal, state, and local regulations.

Section 14 - Transport Information

UN Number: not regulated

UN Proper Shipping Name: not regulated

DOT Transportation Data (49 CFR 172.101): This product is not classified as dangerous under the transport regulations for road, rail, sea, or air transport.

Canada TDGR: Not regulated European ADR: Not regulated IMO: Not regulated ICAO: Not regulated

IATA: Not regulated **RID:** Not regulated

Packing group: not regulated

Environmental hazards: None known.

Transport in bulk according to Annex II of Marpol 73/78 and the IBC code: not available

Special precautions: Always transport in closed containers that are upright and secure.

Additional information: HTSUS code: 2818.20.0000 (US)

Section 15 - Regulatory Information

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33) RCRA Hazardous Waste Classification (40 CFR 261.??): Not classified CERCLA Hazardous Substance (40 CFR 302.4) Not listed SARA Title III: Section 302 Extremely Hazardous Substance: Not listed Section 304 emergency Release Reporting: None Section 311/312 Hazardous Categories: Immediate (acute). Section 313 Toxic Categories: None

OSHA Regulations:

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

TSCA

This substance or all of its components are on the Chemical Substances Inventory of the Toxic Substance Control Act (TSCA Inventory [USA]). Please note that this product is not subject to any legal reporting requirements under these acts.

Revision date 1/23/19

US State Regulations: California Proposition 65: Not listed Cal-OSHA workplace airborne contaminant: Listed Coalition of Northeast Governors (CONEG)-Toxics in Packaging Clearinghouse (TPCH): Compliant Idaho air contaminant: Listed Illinois Toxic Substances Disclosure to Employees List: Listed Massachusetts Right to Know List: Listed Massachusetts Hazardous Substance Code: F9 Minnesota Hazardous Substance List: Listed Code: A Carcinogen: No New Jersey Right to Know List: Listed-Substance No. 2891 Pennsylvania Right to Know List: Listed Pennsylvania Hazardous Substance List (Chapter 323 Appendix A): Listed Code: E Rhode Island Hazardous Substance List: Listed Texas air contaminant with health effects screening level: Listed (as a synonym) Washington air contaminant: Listed limit TWA 10 mg/m³

INTERNATIONAL REGULATIONS

Australia AICS: Listed

Canada DSL: Listed Canada WHMIS: Not controlled. Canada NPRI: Not subject to reporting. Canada IDL: Listed Canada Hazard Symbol: Not applicable

China IECSC: Listed

Europe EINECS: Listed (#215-691-6). Europe Regulation (EC) No 2037/2000 (Ozone Depleting Substances): Not listed Europe Regulation (EC) No 850/2004 (Persistent Organic Pollutants): Not listed Europe Regulation (EC) No 689/2008 (Export and Import of Dangerous Substances): Not listed Europe Directive 2002/95/EC (RoHS): Compliant EU Regulation (EC) No. 1907/2008 (REACH) Annex XIV-List of Substances subject to authorization; substances of very high concern: Not applicable. Annex XVII-Restrictions on the manufacture, placing on the market, and use of certain dangerous substances, mixtures, and articles: not applicable. Seveso II Directive: Not controlled

Japan ENCS: Listed: 1-23 Korea KECI: Listed KE-01012 New Zealand NZIoC: Listed Philippines PICCS: Listed Taiwan NECI: Listed

NFPA ratings:Health:1 Flammability:0 Reactivity:0HMIS codes:Health:1 Flammability:0 Reactivity:0

Section 16 - Other Information

Prepared By: Stephanie Nichols **Revision Notes:** Added B505

Product Grades Available from the R. J. Marshall Company (this list may be incomplete):

B25	B50	B65	B75	B200	B400	B500	B501
B505	B550	B600	B700	B800	1285	1290	GB50
GB75	GB400	GB600					

Disclaimer: Information contained herein is presented in good faith and is based on data believed to be accurate. However no warranty is expressed or implied regarding this information or the results obtained from the use of this Safety Data Sheet, whether it originates with The R. J. Marshall Company or others. This Safety Data Sheet relates only to the specific material designated herein. It does not relate to use with other material or processes. This information is supplied with the condition that the user will make appropriate determination as to its suitability for their purpose prior to using it.