# 9900102 PULPRO WHITE 3 - SA



Version 1.3 Revision Date: 05/30/2017

SDS Number: 9900102

Date of last issue: 01/19/2017 Date of first issue: 11/14/2014

(GHS\_US)

#### **SECTION 1. IDENTIFICATION**

Product name : PULPRO WHITE 3 - SA

Product code : 9900102

Manufacturer or supplier's details

Company name of supplier : Omya Canada Inc.

Address : 18595 Highway #7 West

Perth ON K7H 3E4

Telephone : (613) 267-5367

Telefax : (613) 267-5408

Emergency telephone : (800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Filler or Pigment

Restrictions on use : For industrial use only.

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with 29 CFR 1910.1200

Carcinogenicity (Inhalation) : Category 1A

Specific target organ

systemic toxicity - repeated

exposure (Inhalation)

Category 2 (Lungs)

**GHS** label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H350i May cause cancer by inhalation.

H373 May cause damage to organs (Lungs) through prolonged

or repeated exposure if inhaled.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

# 9900102 PULPRO WHITE 3 - SA



Version 1.3

(GHS\_US)

Revision Date: 05/30/2017

SDS Number: 9900102

Date of last issue: 01/19/2017 Date of first issue: 11/14/2014

and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Substance name : Calciumcarbonate GCC fine powder

CAS-No. : Not Assigned

### **Hazardous ingredients**

Chemical name	CAS-No.	Concentration (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 90 - < 100
Silica, crystalline (quartz)	14808-60-7	3

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

None known.

# 9900102 PULPRO WHITE 3 - SA



Version Revision Date: SDS Number: Date of last issue: 01/19/2017
1.3 05/30/2017 9900102 Date of first issue: 11/14/2014

(GHS\_US)

delayed

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Hazardous combustion

products

No hazardous combustion products are known

Further information : Standard procedure for chemical fires.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Avoid dust formation.

Environmental precautions : No special environmental precautions required.

Methods and materials for

containment and cleaning up

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Advice on safe handling : For personal protection see section 8.

No special handling advice required.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Materials to avoid : Do not store near acids.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable	5 mg/m3	OSHA Z-1

# 9900102 PULPRO WHITE 3 - SA



Version 1.3

Revision Date: 05/30/2017

SDS Number: 9900102

Date of last issue: 01/19/2017 Date of first issue: 11/14/2014

(GHS\_US)

		fraction)		
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
Silica, crystalline (quartz)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable fraction)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1

## Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : white

Odor : characteristic

Odor Threshold : Not relevant

pH : 8.5 - 9.5 (20 °C)

Concentration: 100 g/l Method: DIN-ISO 787/9

Melting point/range : > 800 °C

(1,013 hPa)

# 9900102 PULPRO WHITE 3 - SA



Version 1.3 Revision Date: 05/30/2017

SDS Number: 9900102

Date of last issue: 01/19/2017 Date of first issue: 11/14/2014

(GHS\_US)

Decomposition: Decomposes below the melting point.

Boiling point/boiling range

Decomposition: Decomposes below the boiling point.

Flash point

: does not flash

Flammability (solid, gas)

The product is not flammable.

Burning number

: 1

Upper explosion limit

: Upper flammability limit

Not applicable

Lower explosion limit

Lower flammability limit

Not applicable

Vapor pressure

Not applicable

Solubility(ies)

Water solubility

: 0.014 g/l (20 °C, 1,013 hPa)

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature

: Not applicable

Decomposition temperature

> 600 °C

Explosive properties

Not explosive Not explosive

Minimum ignition energy

: > 1,000 mJ (20 °C, 1,013 hPa)

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

Stable under recommended storage conditions.

No decomposition if used as directed.

Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of

suffocation)

Conditions to avoid : No data available

Hazardous decomposition

products

: Carbon dioxide (CO2)

# 9900102 PULPRO WHITE 3 - SA



Version 1.3 (GHS\_US) Revision Date: 05/30/2017

SDS Number: 9900102

Date of last issue: 01/19/2017 Date of first issue: 11/14/2014

**SECTION 11. TOXICOLOGICAL INFORMATION** 

**Acute toxicity** 

**Product:** 

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Ingredients:

Ground calcium carbonate (GCC):

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Respiratory or skin sensitization

**Product:** 

No data available

Carcinogenicity

**Ingredients:** 

Silica, crystalline (quartz):

Carcinogenicity - : Positive evidence from human epidemiological studies

Assessment (inhalation)

IARC Group 1: Carcinogenic to humans

Silica, crystalline (quartz) 14808-60-7

NTP Known to be human carcinogen

Silica, crystalline (quartz) 14808-60-7

STOT-repeated exposure

**Ingredients:** 

Silica, crystalline (quartz): Routes of exposure: Inhalation

Target Organs: Lungs

Assessment: May cause damage to organs through prolonged or repeated exposure.

**Further information** 

**Product:** 

No data available

## 9900102 PULPRO WHITE 3 - SA



Version 1.3

Revision Date: 05/30/2017

SDS Number: 9900102

Date of last issue: 01/19/2017 Date of first issue: 11/14/2014

(GHS\_US)

### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae : NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l

Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l

Exposure time: 72 h

**Ingredients:** 

Ground calcium carbonate (GCC):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l

Exposure time: 72 h

Silica, crystalline (quartz):

Toxicity to fish : No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

No toxicity at the limit of solubility.

Toxicity to algae : No toxicity at the limit of solubility.

Toxicity to microorganisms : No toxicity at the limit of solubility.

Persistence and degradability

**Product:** 

Biodegradability : Not applicable

**Ingredients:** 

Silica, crystalline (quartz):

Biodegradability : Result: Not biodegradable.

Biochemical Oxygen

Demand (BOD)

Not applicable

## 9900102 PULPRO WHITE 3 - SA



Version 1.3

(GHS\_US)

Revision Date: 05/30/2017

SDS Number: 9900102

Date of last issue: 01/19/2017 Date of first issue: 11/14/2014

Chemical Oxygen Demand

(COD)

Not applicable

**Bioaccumulative potential** 

**Ingredients:** 

Ground calcium carbonate (GCC):

Partition coefficient: n-

octanol/water

Not applicable

Silica, crystalline (quartz):

Bioaccumulation : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

Partition coefficient: n-

octanol/water

Not applicable

Mobility in soil

No data available

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological

information

In solid state these minerals are a major part of the rocks of

the earth's surface.

They are dissolved in a natural state and indispensable part of

the natural waters.

These minerals are not biodegradable.

Negative effects on the environment should therefore be

excluded.

Restrictions may be indicated that concentrated suspensions these minerals in natural waters may have an unfavorable effect on water organisms (disturbance of the micro flora and -

fauna in the sediment and subsequent detriment to the

existence of higher water organisms).

Ingredients:

Ground calcium carbonate (GCC):

Results of PBT and vPvB

assessment

: Non-classified PBT substance Non-classified vPvB substance

## 9900102 PULPRO WHITE 3 - SA



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/19/2017

 1.3
 05/30/2017
 9900102
 Date of first issue: 11/14/2014

(GHS\_US)

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

Not applicable for product as supplied.

#### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute/Chronic Health Hazard

Chronic Health Hazard

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

## 9900102 PULPRO WHITE 3 - SA



Version Revision Date: SDS Number: Date of last issue: 01/19/2017 1.3 05/30/2017 9900102 Date of first issue: 11/14/2014

(GHS\_US)

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

#### Massachusetts Right To Know

Ground calcium carbonate (GCC) 1317-65-3 Silica, crystalline (quartz) 14808-60-7

#### Pennsylvania Right To Know

Ground calcium carbonate (GCC) 1317-65-3 Silica, crystalline (quartz) 14808-60-7

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

# 9900102 PULPRO WHITE 3 - SA




Version 1.3 (GHS\_US) Revision Date: 05/30/2017

SDS Number: 9900102

Date of last issue: 01/19/2017 Date of first issue: 11/14/2014

#### **Further information**

#### NFPA:



Special hazard.

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to compile the Material Safety Data Sheet

ety

Information taken from reference works and the literature.

Revision Date : 05/30/2017

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Responsible/issuing person : Omya Inc.

Regulatory Affairs Department 9987 Carver Road, Suite 300 Cincinnati, OH 45242