

# Safety Data Sheet

ResNsand

MSDS No. 16000.8

Date of Preparation: 3/9/06

Revision: 2/2/23

## Section 1 - Chemical Product and Company Identification

**Product:** ResNsand

**Other means of identification:** Poly allyl diglycol carbonate

**Recommended use:** various

**Restrictions on use:** none known

**Manufacturer:** Marshall Additive Technologies

Division of the R. J. Marshall Company

26776 W. 12 Mile Road

Southfield, MI 48034-7807

Phone: (248) 353-4100, Fax: (248) 948-6460

**Emergency Phone:** (800) 424-9300

**Date Revised:** 2/2/23

**Preparer:** Stephanie Nichols

## Section 2 - Hazards Identification

**Classification of the chemical in accordance with paragraph (d) of 1910.122:** combustible dust

**Signal Word:** Warning

**Symbol:** None

**Hazard Statements:** May form combustible dust concentrations in the air.

**Precautionary Statements:** None

**Hazards not otherwise classified:** None

## Section 3 - Composition / Information on Ingredients

Ingredient Name	CAS Number	Percent by Weight
Poly Allyl DiGlycol Carbonate	25656-90-0	>99.5%
Anti-static agent	002764-13-8	<0.5%

## Section 4 - First Aid Measures

**Description of necessary measures subdivided according to the different routes of exposure:**

**Inhalation:** If overcome by high dust concentrations, remove to a ventilated area. Call a physician if irritation persists.

**Eye Contact:** Flush eyes thoroughly for 15 minutes taking care to rinse under eyelids. Do not scrub. Abrasion may cause irritation. If discomfort continues, continue to wash with water. If irritation persists, consult a physician.

**Skin Contact:** Wash skin thoroughly with soap and water. Consult a physician if irritation persists.

**Ingestion:** If swallowed, give large amounts of water, to induce vomiting. Consult a physician.

**Most important symptoms and effects, acute and delayed:**

**Inhalation:** Potential respiratory tract irritation.

**Eye Contact:** Exposure to eyes from solids or dust may cause irritation or scratch the surface of the eye.

**Skin Contact:** Potential of slight irritation to the skin.

**Ingestion:** May be harmful if swallowed.

**Indication of immediate medical attention and special treatment needed:** Treat symptomatically.

## Section 5 - Fire-Fighting Measures

**Suitable Extinguishing Media:** Foam, Water spray, carbon dioxide, or other dry chemicals.

**Unsuitable Extinguishing Media:** None.

**Specific hazards arising from the chemical:**

**Unusual Fire or Explosion Hazards:** Dust can form an explosive mixture with air. Sealed (closed) containers can build up pressure if exposed to heat (fire).

**Hazardous Combustion Products:** Smoke, propane, carbon dioxide.

**Sensitivity to Static Discharge:** Avoid generating dust. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

**Fire-Fighting Equipment:** Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face-piece operated in pressure-demand or positive-pressure mode. Wear full protective clothing.

## Section 6 - Accidental Release Measures

**Personal precautions, protective equipment, and emergency procedures:** Wear safety glasses with side shields, gloves, and a dust mask.

**Methods and materials for containment and cleaning up:** Sweep up and place in an appropriate disposal container. Avoid generating dust or accumulating dust. Avoid dust dispersal in the air. Spilled material can be a slipping hazard. Eliminate flames, sparks, excessive temperatures, and oxidizing agents. Non-sparking tools should be used.

## Section 7 - Handling and Storage

**Precautions for safe handling:** Avoid contact with eyes and skin. Use in a well-ventilated area. Avoid the generation and breathing of dust. Minimize dust generation and accumulation.

**Storage Requirements:** Store in closed, properly labeled containers in a cool, ventilated area. Keep away from heat, open flames, and oxidizing agents. Do not transfer to unmarked containers.

## Section 8 - Exposure Controls / Personal Protection

Ingredient	OSHA PEL		ACGIH TLV	
	TWA	STEL	TWA	STEL
Poly Allyl DiGlycol Carbonate	None established	None established	None established	None established
Anti-static agent	None established	None established	None established	None established

### Engineering Controls:

**Ventilation:** Mechanical ventilation and local exhaust. Use explosion-proof electrical equipment for very high dust levels. Ensure ventilation and dust-handling systems prevent the escape of dust into work areas and that there is no leakage from the equipment.

### Administrative Controls:

**Respiratory Protection:** Recommend a 3M #8710 or equivalent dust mask.

**Protective Clothing/Equipment:** Use rubber gloves. Wash thoroughly before eating, smoking, applying cosmetics, etc. Safety glasses with a side shield, goggles, and/or a face shield. If necessary, a protective rubber apron, shoes, or boots, or TYVEC protective suit with a hood.

**Safety Stations:** Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in the work area.

**Contaminated Equipment:** Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

## Section 9 - Physical and Chemical Properties

**Appearance:** granular clear solid

**Odor:** odorless

**Odor Threshold:** n/e

**pH:** 5.19

**Freezing/Melting Point:** not applicable

**Boiling Point:** not applicable

**Flash Point:** 150°C (302°F)

**Flash Point Method:** Cleveland Open Cup

**Evaporation Rate:** not applicable

**Flammability Classification:** Non-flammable.

**Upper/lower flammability or explosive limits:** not applicable

**Vapor Pressure:** not applicable

**Vapor Density (Air=1):** not applicable

**Relative Density:** 1.19-1.34

**Water Solubility:** Insoluble

**Other Solubilities:** not determined

**Partition coefficient:** n-octanol/water; not determined

**Auto-ignition Temperature:** Not determined.

**Decomposition Temperature:** Not determined

**Viscosity:** not applicable

## Section 10 - Stability and Reactivity

**Reactivity:** Not reactive under normal conditions.

**Chemical Stability:** This product is stable at room temperature in closed containers under normal storage and handling conditions.

**Possibility of Hazardous Reactions:** None under normal processing. Hazardous polymerization does not occur.

**Conditions to Avoid:** Excessive heat, ignition sources.

**Incompatible materials:** Oxidizing agents.

**Hazardous Decomposition Products:** Smoke, propane, carbon dioxide.

## Section 11- Toxicological Information

**Description of the various toxicological (health) effects and the available data used to identify those effects including:**

**Information on the likely routes of exposure:**

**Inhalation:** Inhalation of high concentrations of this inert nuisance particulate can result in mild irritation of the respiratory tract.

**Eye:** May cause irritation or scratch the surface of the eye through mechanical abrasion.

**Skin:** May cause slight irritation.

**Ingestion:** May be harmful if swallowed.

**Symptoms related to the physical, chemical, and toxicological characteristics:**

**Eye:** Exposure to eyes from solids or dust may cause irritation or scratch the surface of the eye.

**Skin:** Potential of slight irritation to skin.

**Ingestion:** May be harmful if swallowed.

**Inhalation:** Potential respiratory tract irritation if inhaled.

**Delayed and immediate effects as well as chronic effects from short- and long-term exposure:** Irritation of eyes, skin.

**Numerical measures of toxicity:** Not determined.

**Carcinogenicity:** NTP, IARC, or OSHA does not consider this product carcinogenic.

## Section 12 - Ecological Information

**Ecotoxicity:** This product is not classified as environmentally hazardous.

**Persistence and degradability:** Not determined.

**Bioaccumulative potential:** Not determined.

**Mobility in soil:** Not determined.

## Section 13 - Disposal Considerations

**Disposal:** Dispose as solid waste and contaminated packaging in a sanitary landfill or incinerate according to Federal, State, and local regulations.

## Section 14 - Transport Information

**DOT Transportation Data (49 CFR 172.101):** This product is not classified as dangerous under the transport regulations for road, rail, sea, or air transport.

NMF classification: Class 60-Item 156200

**UN Number:** None

**UN proper shipping name:** None

**Transport hazard classes:** DOT-not regulated; IATA-not regulated; IMDG-not regulated

**Packing group:** None

**Environmental hazard:** No

**Transport in bulk according to Annex II or MARPOL 73/78 and the IBC Code:** not regulated

**Special precautions:** None

## Section 15 - Regulatory Information

**EPA Regulations:**

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification: Not classified

CERCLA Hazardous Substance (40 CFR 302.4) Not listed

SARA Toxic Chemical (40 CFR 372.65): Not listed

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed

**OSHA Regulations:**

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

**TSCA**

This substance is on the Chemical Substances Inventory of the Toxic Substance Control Act (TSCA Inventory [USA]). Please note that this product is not subject to any legal reporting requirements under these acts.

**International Regulations:**

Australia: Present on AICS.

Canada: Present on Non-Domestic Substances List (NDSL).

China: Not present.

Europe: Not present on EINECS.

Japan: Present on ENCS. 6-1159

Korea: Present on ECL. KE-10464

New Zealand: Not present.

Philippines: Not present on PICCS.

**Section 16 - Other Information**

**Prepared By:** Stephanie Nichols

**Revision Notes:** updated section 2, added Ultra 325

**Product Grades Available from the R. J. Marshall Company** (this list may be incomplete):

Ultra 4	Ultra 8	Ultra 12	Ultra 16	Ultra 20
Ultra 40	Ultra 60	Ultra 100	Ultra 200	Ultra 300
Ultra 325	Ultra 1200	Ultra -30	Ultra 16RM	Ultra 20RM
Ultra 35AA	Ultra -3/8			

**Disclaimer:** Information contained herein is presented in good faith and is based on data believed to be accurate. However, no warranty is expressed or implied regarding this information or the results obtained from the use of this Safety Data Sheet, whether it originates with The R. J. Marshall Company or others. This Safety Data Sheet relates only to the specific material designated herein. It does not relate to use with other materials or processes. This information is supplied with the condition that the user will make an appropriate determination as to its suitability for their purpose prior to using it.