

Safety Data Sheet

Alumina Trihydrate

SDS No. 9605.54

Date of Preparation: 12/10/96

Revision: 02/05/24

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: Alumina Trihydrate

Synonyms: Alumina Hydrate, ATH, Aluminum Hydroxide, Trihydrate D'aluminae, Hydrate d'aluminae, Gibbsite, Hydroxide d'aluminum, Alumine hydrate, hydrated alumina, Trioxyde d'aluminum, Aluminum Trihydroxide, Al₂O₃·3H₂O

Recommended Use: Additive, flame retardant, filler.

Uses advised against: None known

Manufacturer: The R. J. Marshall Company
26776 W. 12 Mile Road
Southfield, MI 48034-7807
Phone (248) 353-4100, Fax (248) 948-6460

Emergency Phone: (800) 424-9300

Date Revised: 02/05/24

Preparer: Stephanie Nichols

Section 2 - Hazards Identification

Classification of the chemical per paragraph (d) of 1910.1200: Material is non-hazardous.

Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008 (CLP): Not classified

Classification according to Directive 67/548/EEC or Directive 1999/45/EC: Not classified

Hazard Pictogram: None

Hazard Statements: None

Precautionary Statements: None

Other hazards: Prolonged and excessive contact can irritate the respiratory tract.

Section 3 - Composition / Information on Ingredients

Ingredient Name	CAS Number	EC Number	Weight
Alumina Trihydrate	21645-51-2	244-492-7	100%

REACH Registration #: 01-2119529246-39-XXXX

SVHC: None

Section 4 - First Aid Measures

Inhalation: If overcome by high dust concentrations, remove to a ventilated area.

Eye Contact: Flush eyes thoroughly for several minutes taking care to rinse under eyelids. Do not scrub. Abrasion may cause irritation. If discomfort continues, continue to wash with water. If irritation persists, consult a physician.

Skin Contact: Wash skin thoroughly with soap and water. Consult a physician if irritation persists.

Ingestion: If swallowed, dilute with large amounts of water. Seek medical advice.

Most important symptoms and effects, both acute and delayed: None

Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

Section 5 - Fire-Fighting Measures

Suitable Extinguishing Media: Use extinguishing measures appropriate to the surrounding fire.

Unsuitable Extinguishing Media: Full water jet

Special hazards arising from the chemical: None.

Hazardous Combustion Products: None.

Fire-Fighting Instructions: Use self-contained breathing apparatus. Fire residues and contaminated firefighting water must be disposed of following local regulations.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures: Avoid dust formation. In case of inadequate ventilation wear respiratory protection.

Environmental precautions: Do not discharge into drains/surface water/groundwater.

Methods and materials for containment and cleaning up: Sweep up and dispose of per local regulations.

Reference to other sections: See Sections 8 & 13.

Section 7 - Handling and Storage

Precautions for safe handling: Avoid generating dust during handling. Provide vacuuming if dust is raised. Wash hands before breaks and after work. Use barrier skin cream.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed. Store in a dry place. Do not store with food.

Section 8 - Exposure Controls / Personal Protection

Engineering Controls:

Ingredient	OSHA PEL		ACGIH TLV	
	TWA	STEL	TWA	STEL
Alumina Trihydrate	none established	none established	none established	none established
Particulates not otherwise classified	15 mg/m ³ total, 5 mg/m ³ respirable	none established	none established	none established

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Administrative Controls:

Eye Protection: Safety glasses.

Hand Protection: Protective gloves are recommended.

Glove material: Nitrile rubber

Layer thickness: 0.11 mm

Breakthrough time: >480 min

Skin Protection: Protective clothing.

Other: Avoid contact with eyes and skin.

Do not inhale the dust.

PPE should be selected specifically for the workplace, depending on the concentration and quantity handled.

Respiratory Protection: In the event of high concentrations use a respirator with a P1 filter for short-term use.

Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Section 9 - Physical and Chemical Properties

Physical State: powder

Appearance and Odor: white odorless powder

Odor Threshold: not applicable

pH: 8-9 (20°C saturated solution)

Freezing/Melting Point: Decomposes before melting.

Boiling Point: 2980°C (5396°F)

Flash Point: Not applicable.

Flash Point Method: Not flammable.

Evaporation Rate: not applicable

Flammability: Not flammable.

Upper/lower flammability or explosive limits: not applicable

Oxidizing properties: None

Vapor Pressure: not applicable

Vapor Density (Air=1): not applicable

Relative Density: 2.42

Water Solubility: 0.00009 g/l (20°C/68°F)

Other Solubilities: Soluble in alkaline aqueous solutions or HCL, H2SO4, and other strong acids in the presence of some water.

Partition coefficient: n-octanol/water; not applicable

Auto-ignition Temperature: Does not ignite.

Decomposition temperature: >200°C

Viscosity: not applicable

Section 10 - Stability and Reactivity

Reactivity: None known.

Chemical stability: Alumina trihydrate is stable at room temperature in closed containers under normal storage and handling conditions.

Possibility of hazardous reactions: No hazardous reactions are known.

Conditions to avoid: Temperature >392°F (200°C).

Incompatible materials: Strong acids and bases. Alumina trihydrate reacts vigorously with strong acids and will dissolve in caustic solutions.

Hazardous decomposition products: not applicable

Section 11- Toxicological Information

Information on the likely routes of exposure:

Eye contact: Exposure to airborne concentrations above statutory or recommended exposure limits may irritate the eyes.

Inhalation: Exposure to airborne concentrations above statutory or recommended exposure limits may irritate the nose, throat, and lungs.

Skin Contact: No known significant effects or critical hazards.

Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical, and toxicological characteristics:

Eye contact: Adverse symptoms may include irritation and redness.

Inhalation: Adverse symptoms may include respiratory tract irritation and coughing.

Skin Contact: No specific data.

Ingestion: No specific data.

Delayed and immediate effects and chronic effects from short- and long-term exposure:

Short term exposure: Not available

Long term exposure: Not available

Potential delayed effects: Not available

Numerical measures of toxicity:
Acute:

	Value	Species	Type	Test Substance
Oral	>2000 mg/kg bw	Rat	Acute	Aluminum hydroxide
Dermal	Not applicable			
Inhalation	LC ₅₀ : 7.6 mg/l/4h	Rat	Acute	Analogue
Skin Corrosion	Not corrosive	Rabbit	Acute	Analogue
Skin Irritation	Not irritating	Rabbit	Acute	Analogue
Eye Irritation	Not irritating	Rabbit	Acute	Analogue
Respiratory or Skin Sensitization	Non-sensitizing			

Repeated dose toxicity:

	Value	Species	Type	Test Substance
Oral	NOAEL: 30 mg/kg bw/day	Rat	Chronic	Analogue
Inhalation	NOAEL: 70 mg/m ³	Rat	Sub-chronic	Analogue

STOT-SE: No classification.

STOT-RE: No classification.

Carcinogenicity: No evidence of carcinogenic effects.

Mutagenicity: No evidence of any mutagenic effects.

Reproductive toxicity: No evidence of any reproductive toxicity effects.

Aspiration hazard: No classification.

Alumina Trihydrate is not listed as a carcinogen by NTP, IARC, OSHA, or ACGIH.

Section 12 - Ecological Information

Eco-toxicity:

Fish toxicity: LC₅₀>100 mg/l in Salmo trutta.

Invertebrate toxicity: EC₅₀>100 mg/l in Daphnia Magna

Algae toxicity: EC₅₀ >100 mg/l in Selenastrum capricornutum

Persistence and degradability: Not applicable for inorganic substances.

Bio-accumulative potential: Not applicable

Mobility in soil: Not applicable.

Results of PBT and vPvB assessment: This product does not meet the classification as PBT/vPvB.

Other adverse effects: None known.

Section 13 - Disposal Considerations

Disposal: Recycle if possible or landfill. This substance is inert and does not require special disposal methods. Follow applicable Federal, state, and local regulations.

Section 14 - Transport Information

DOT Transportation Data (49 CFR 172.101): This product is not classified as dangerous under the transport regulations for road, rail, sea, or air transport.

UN Number: not classified as dangerous goods

UN proper shipping name: Not classified as dangerous goods

Transport hazard classes: None

Packaging group: None

Environmental hazards: None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: No hazardous goods.

Special precautions for user: None

Transport by land according to ADR/RID: Not applicable

Inland Navigation (ADN): Not applicable

Marine transport in accordance with IMDG: Not applicable

Air transport in accordance with IATA: Not applicable

Section 15 - Regulatory Information

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification (40 CFR 261.??): Not classified

CERCLA Hazardous Substance (40 CFR 302.4) not listed

SARA Toxic Chemical (40 CFR 372.65): Not listed

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed

SARA 311/312 Hazard: None

OSHA Regulations:

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

Proposition 65: Not listed

Inventory Lists: This product is listed on the following inventory lists:

TSCA	Australia AICS	Canada DSL	China IECSC	Europe EINECS	Japan ENCS	Korea ECL
Listed	Listed	Listed	Listed	244-492-7	1-17	KE-00980

Malaysia	New Zealand NZIoC	Swiss Giftliste	Philippines PICCS	Taiwan NECI	Canada WHMIS
Listed	Listed	G-4621	Listed	Listed	Not listed

International

Regulations:

Regulation (EC) No 2037/2000 (Ozone Depleting Substances): Not applicable

Regulation (EC) No 850/2004 (Persistent Organic Pollutants): Not applicable

Regulation (EC) No 689/2008 (Export and Import of Dangerous Substances): Not applicable

Directive 2002/95/EC (RoHS): Not applicable

Directive 2002/96/EC (WEEE): Not applicable

Directive 1999/13/EC (VOC): Not applicable

Restrictions according to TITLE VIII of the Regulation (EC) No 1907/2006 (REACH): None

ADR: European agreement concerning the international transportation of hazardous goods by road

ADN: European agreement concerning the international transportation of hazardous goods by inland waterways

CAS: Chemical Abstracts Service

DSL: Domestic Substances List

EC50: Median effective concentration

ECL: Existing Chemicals List

IATA: International Air Transport Association

IECSC: Inventory of Existing Chemical Substances in China

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LOAEL: Lowest observed adverse effect level

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

NECI: National Existing Chemical Inventory

NOAEL: No observed adverse effect level

NZIoC: New Zealand Inventory of Chemicals

PBT: Persistent, Bio-accumulative, and Toxic Substance

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RID: European agreement concerning the international transportation of hazardous goods by rail

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals

RoHS: Restriction of Hazardous Substances

TLV®/TWA: Threshold limit value-time weighted average

TLV®/STEL: Threshold limit value-short-time exposure limit

TSCA: Toxic Substances Control Act (USA)

VOC: Volatile Organic Compounds

vPvB: very Persistent and very Bio-accumulative

WEEE: Waste Electrical and Electronic Equipment

HMIS**H** 0**F** 0**R** 0**PPE** † E

†Sec. 8

Section 16 - Other Information**Prepared By:** Stephanie Nichols**Revision Notes:** updated throughout**Product Grades Available from the R. J. Marshall Company** (this list may be incomplete):

DF174	OF136	A202 (A)	AH170(A,V)	MX100
DF221	OF239LX	A204(A)	AH255(A)	MX104
DF225	OF250	A205(A)	AH270(A,V)	MX200
DF230	OF250H	A206(A)	AH280(A,V)	
DF320A	OF255A	A208(A)	AH290(A,V)	MAXTOOL710
DF325	OF300	A210	AH298(A)	MAXTOOL815
DFG	OF500	A212	AH330(A,V)	
	OF505	A245, A245G, A245GS	AH331(A)	
	OF600		AH430(A, V)	
		A102		
	OP500C	A104(A)	AH281(A)	
		A105	AH291(A)	
		A106	AH331(A)	
		A108	AH431(A)	
		A110		
		A112		
		A130		
		A145		

Note: This includes all EXP ATH blends.

Disclaimer: Information contained herein is presented in good faith and is based on data believed to be accurate. However, no warranty is expressed or implied regarding this information, or the results obtained from the use of this Safety Data Sheet, whether it originates with The R. J. Marshall Company or others. This Safety Data Sheet relates only to the specific material designated herein. It does not relate to use with other materials or processes. This information is supplied with the condition that the user will make an appropriate determination as to its suitability for their purpose prior to using it.